



K-KART spol. s r.o.
Fířakovská cesta ř. 41
984 01 Luřenec
Slovak Republic

Tel.: 00421 47 433 00 83
Fax: 00421 47 433 10 83
Cell phone: 00421 905 959 842
web: www.kkart.sk
e-mail: kkart@kkart.sk

Catalogue of products

1. SPROCKET FOR A100



KR0102



KR0113

CODE	DESCRIPTION
	Sprocket for A100 type 219 „classic“ - ERGAL
KR0101	number of teeth: 62 – 69
KR0102	number of teeth: 70 - 72
KR0102	number of teeth: 73 - 74
KR0103	number of teeth: 75 - 77
KR0104	number of teeth: 78 - 81
KR0104	number of teeth: 82 - 83
KR0105	number of teeth: 84 - 86
KR0105	number of teeth: 87 - 89
KR0106	number of teeth: 90 - 93
KR0107	number of teeth: 94 - 97
	Sprocket for A100 type 219 „superlight“ - ERGAL
KR0111	number of teeth: 62 – 69
KR0112	number of teeth: 70 – 72
KR0112	number of teeth: 73 – 74
KR0113	number of teeth: 75 – 77
KR0114	number of teeth: 78 – 81
KR0114	number of teeth: 82 – 83
KR0115	number of teeth: 84 – 86
KR0115	number of teeth: 87 – 89
KR0116	number of teeth: 90 – 93
KR0117	number of teeth: 94 – 97
	Sprocket for A100 type 215 "classic" - ERGAL
KR215C	number of teeth: 65-70 - small Øsize for brake disc holder
KR215C	number of teeth: 71-73
KR215C	number of teeth: 74-76
KR215C	number of teeth: 77-80
KR215C	number of teeth: 81-82
KR215C	number of teeth: 83-85
KR215C	number of teeth: 86-89
KR215C	number of teeth: 90-92
KR215C	number of teeth: 93-95
KR215C	number of teeth: 96-100
KR215C	number of teeth: 101-103
	Sprocket for A100 type 215 "Superlight" - ERGAL
KR215	number of teeth: 74-76
KR215	number of teeth: 77-80
KR215	number of teeth: 81-82
KR215	number of teeth: 83-85
KR215	number of teeth: 86-89
KR215	number of teeth: 90-92
KR215	number of teeth: 93-95
KR215	number of teeth: 96-100
KR215	number of teeth: 101-103

By ordering the color of the product provides extra point past the product code. (for example: KR0101GD-go
Colors: gold-GD standard (usually in stock, except parts which are made only in black or Gray color)

black -BK standard (usually in stock, except A 100)

red-RD custom-made

blue-BE - custom-made

Some items are only in black color / Chain stretcher, exhaust support, steering column support, pedals..../

Sprockets C125 ERGAL are only in grey color

2. SPROCKET FOR C125



KR0253



KR027326AGR

CODE	DESCRIPTION
------	-------------

Sprocket for C125 type 428 – ergal alloy, diam. 50 mm
Sprockets are without gap and Grey color - (keyways 8 mm)

KR0271AGR	number of teeth: 20,21,22,23
KR0272AGR	number of teeth: 24,25
KR0273AGR	number of teeth: 26,27
KR0273AGR	number of teeth: 28
KR0274AGR	number of teeth: 29,30

New production method for the sprockets - are without gap between two side of the sprockets

Sprocket for C125 type 428 – steel, diam. 30 mm
(keyways 6 and 8 mm)

KR0201	number of teeth: 21,22,23
KR0202	number of teeth: 24,25
KR0203	number of teeth: 26,27,28
KR0204	number of teeth: 29,30
KR0205	number of teeth: 31,32
KR0206	number of teeth: 33
KR0207	number of teeth: 34, 35
KR0208	number of teeth: 36

Sprocket for C125 type 428 – steel, diam. 40 mm
(keyways 8 mm)

KR0221	number of teeth: 21,22,23
KR0222	number of teeth: 24,25
KR0223	number of teeth: 26,27,28
KR0224	number of teeth: 29,30
KR0224	number of teeth: 31,32
KR0224	number of teeth: 35

Sprocket for C125 type 428 – steel, diam. 50 mm
(keyways 8 mm)

KR0251	number of teeth: 21,22,23
KR0252	number of teeth 24,25
KR0253	number of teeth: 26,27,28
KR0254	number of teeth: 29,30

All Iron sprockets are in gold zinc color.

KR025436	Sprocket C125 - 50-8-36teeth - Iron
----------	-------------------------------------


3. ENGINE SPROCKETS AND SPROCKETS FOR HONDA GX



KR0281

CODE	DESCRIPTION
	Sprockets for HONDA GX
KR0301	diam. 22 mm, l= 50,5 mm, num. of teeth: 12
KR0302	diam. 22 mm, l= 50,5 mm, num. of teeth: 13
KR0303	diam. 22 mm, l= 50,5 mm, num. of teeth: 14
KR0304	diam. 22 mm, l= 50,5 mm, num. of teeth: 15
KR0305	diam. 22 mm, l= 50,5 mm, num. of teeth: 16
	We producing also hardened version as special order

4. FRONT AND REAR HUBS FROM ALUMINIUM



KN0401, KN0402, KN0403


CODE	DESCRIPTION
------	-------------

Al front hub Ø17 - 40/58 mm with bearings

KN0401	l = 61 mm, 2 x bearings 6003 ZZ
KN0402	l = 76 mm, 2 x bearings 6003 ZZ
KN0403	l = 96 mm, 2 x bearings 6003 ZZ

Al front hub Ø17 - 55/67 mm with bearings

KN0411	l = 76 mm, 2 x bearings 6003 ZZ (CRG)
KN0412	l = 96 mm, 2 x bearings 6003 ZZ (CRG)




KN0462, KN0463

Al front hub for Ø25 - 40/58 mm with bearings

KN 0461	l=61 mm, 2 x bearings 61905 ZZ
KN 0462	l=76 mm, 2 x bearings 61905 ZZ
KN 0463	l=96 mm, 2 x bearings 61905 ZZ

Al front hub for Ø25 - 55/67 mm with bearings

KN 0471	l=76 mm, 2 x bearings 61905 ZZ (CRG, Maranello)
KN 0472	l=82 mm, 2 x bearings 61905 ZZ (CRG, Maranello)
KN 0473	l=96 mm, 2 x bearings 61905 ZZ (CRG, Maranello)



KN0451

Al rear hub diam. 25 mm

KN0421 25-6-38 mm

KN0422 25-6-67 mm

KN0423 25-6-98 mm

Al rear hub diam. 30 mm

KN0429 30-6+8-38 mm

KN0431 30-6+8-67 mm

KN0433 30-6+8-76 mm

KN0435 30-6+8-98 mm

KN0437 30-6+8-120 mm

Al rear hub diam. 40 mm

KN0441 40-8-66 mm

KN0442 40-8-76 mm

KN0443 40-8-98 mm

KN0444 40-8-120 mm

KN0445 40-8-67 mm

Al rear hub diam. 50 mm

KN0451 50-8-78 mm

KN0452 50-8-88 mm

KN0453 50-8-98 mm

KN0454 50-8-120 mm

5. FRONT AND REAR HUBS FROM MAGNESIUM



CODE	DESCRIPTION
	Mg front hub Ø17 - 40/58 mm with bearings
KN0501	l = 61 mm, 2 x bearings 6003 ZZ
KN0502	l = 76 mm, 2 x bearings 6003 ZZ
KN0503	l = 96 mm, 2 x bearings 6003 ZZ
	Mg front hub Ø17 - 55/67 mm with bearings
KN0504	l = 76 mm, 2 x bearings 6003 ZZ (CRG, Maranello)
KN0505	l = 96 mm, 2 x bearings 6003 ZZ (CRG, Maranello)
	Mg front hub Ø 40 55/67 mm (CRG, Maranello)
KN05061	l = 76 mm, with hole 40-8 mm (CRG, Maranello)



KN0507,KN0509	KN0510,KN0511
Mg front hub Ø25 - 40/58 mm with bearings	
KN0507	l=61 mm, 2 x bearings 61905 ZZ
KN0508	l=76 mm, 2 x bearings 61905 ZZ
KN0509	l=96 mm, 2 x bearings 61905 ZZ
Mg front hub Ø25 - 55/67 mm with bearings	
KN0510	l=76 mm, 2 x bearings 61905 ZZ (CRG, Maranello)
KN0511	l=82 mm, 2 x bearings 61905 ZZ (CRG, Maranello)
KN0512	l=96 mm, 2 x bearings 61905 ZZ (CRG, Maranello)



KN0527

KN0531

Mg rear hub diam. 30 mm

- KN0515 30-6+8-40 mm
- KN0516 30-6+8-55 mm - until stock are sold out
- KN0517 30-6+8-65 mm - until stock are sold out
- KN0518 30-6+8-75 mm - until stock are sold out

Mg rear hub diam. 40 mm

- KN0520 40-8-76 mm
- KN0521 40-8-98 mm
- KN0522 40-8-120 mm

Mg rear hub diam. 50 mm-model 2009

- KN0525 50-8-78 mm
- KN0526 50-8-88 mm
- KN0527 50-8-98 mm
- KN0528 50-8-120 mm

Mg rear hub diam. 50 mm-model US

- KN0529 50-8-78 mm
- KN0530 50-8-88 mm
- KN0531 50-8-98 mm
- KN0532 50-8-120 mm
- KN0533 50-8-155 mm

Mg hub type KR (KART REPUBLIC)

- KNKR01 Front hub Ø25-94/89/mm
- KNKR02 Rear hub Ø40-75/72/mm
- KNKR03 Rear hub Ø40-95/90/mm
- KNKR04 Rear hub Ø50-98/95/mm

6. SPROCKET AND BRAKE DISK HOLDERS FROM ALUMINIUM



KU0606



KU0615

CODE	DESCRIPTION
	Al brake discs holder (diameters for fixation of disk brake: 100/114 mm)
KU0601	25-6 mm
KU0603	30-6+8 mm
KU0605	40-8 mm
KU0606	50-8 mm
	Al sprocket holders
KU0611	25-6 mm
KU0613	30-6+8 mm
KU0615	40-8 mm
KU0616	50-8 mm



KU0618

	Al sprocket holder with double fixation
KU0617	40-8 mm
KU0618	50-8 mm



KU0635



KU0636 - KU0640

CODE	DESCRIPTION
	Al floating sprocket holder (for „classic“ sprockets)
KU0631	25-6 mm
KU0632	30-6+8 mm
KU0634	40-8 mm
KU0635	50-8 mm
	Accessories for floating sprocket holder
KU06361	Internal part Ø25
KU06362	Internal part Ø30
KU06363	Internal part Ø40
KU06364	Internal part Ø50
KU0637	External part
KU0638	Special washer
KU0639	Stud
SEG14BL	Insurance

7. SPROCKET AND DISK BRAKE HOLDERS FROM MAGNESIUM



KU0701



KU0704

CODE	DESCRIPTION
	Mg disk brake holder
	(diameters for fixation of disk brake: 100/114 mm)
KU0701	40-8 mm
KU0702	50-8 mm
	Mg sprocket holder
KU0710	30-6+8 mm
KU0703	40-8 mm
KU0704	50-8 mm
	Mg sprocket holder double fixation
KU0707	30-6+8 mm
KU0709	40-8 mm
KU0708	50-8 mm

8. BRAKE DISCS



KB0808, KB0811

CODE	DESCRIPTION
	Ventilated rear disk brake
KB0808	100-200-12 mm, with groove
KB0809	100-204-12 mm, with groove
KB0810	100-208-12 mm, with groove
KB0815	100-210-12 mm, with groove
KB0811	100-200-12 mm, drilled
KB0812	100-204-12 mm, drilled
KB0813	100-208-12 mm, drilled
KB0814	100-210-12 mm, drilled

9. WHEELS

Whells "MINI"

KD1243 Mg set of wheels MINI /2 x Front -115mm and 2 x rear - 143mm/



Model MINI

Wheels Model "2009"

KD1012 **Mg front wheel 130mm C125-"09", diam. 40/58mm**
KD1014 prepared for locking screws
with locking screws and valve

KD1022 **Mg front wheel 130mm C125-"09", diam. 55/67mm type CRG**
KD1024 prepared for locking screws
with locking screws and valve

KD1232 **Mg rear wheel 180mm C125-"09"**
KD1234 prepared for locking screws
with locking screws and valve

KD1032 **Mg rear wheel 210mm C125-"09"**
KD1034 prepared for locking screws
with locking screws and valve



Model 2009

Mg whells type KR /fitted to Kart republic/

KD1264 Mg front wheel 130 mm diam. 40/58 mm - model KR - with 3
x locking screws + valve

KD1294 Mg rear wheel 210 mm - model KR - with 3 x locking screws +
valve



KD1264



KD1294

Wheels model "MXC"




KD1162, KD1194

CODE	DESCRIPTION
	Mg front wheel 130 mm model MXC diam. 40-58
KD1162	prepared for locking screws
KD1164	with locking screws, with valve
	Mg rear wheel 180 mm model MXC
KD1172	prepared for locking screws
KD1174	with locking screws, with valve
	Mg rear wheel 210 mm -model MXC
KD1192	prepared for locking screws
KD1194	with locking screws, with valve



KD0982	Accessories for wheels	KD0986
KD0982	Locking screw with rubber O ring - until stock are sold out	
KD0983	O ring only	
KD0984	Bearing 6003 ZZ	
KD0985	Valve short	
KD0986	Al locking screw + rubber O ring - EVO	
KD0987	O ring only - EVO	

10. REAR AXLES AND ACCESSORIES




KH1121




KH1183

CODE	DESCRIPTION
KH1101	Rear axle 30x5-950 mm, medium universal (5 keyways)
KH112S	Rear axle 40 - DD2 - 1040 mm, soft
KH112M	Rear axle 40 - DD2 - 1040 mm, medium
KH1122S	Rear axle 50x2-1040 mm, soft - universal
KH1122M	Rear axle 50x2-1040 mm, medium - universal
KH1122MH	Rear axle 50x2-1040 mm, medium - hard - universal
KH1122H	Rear axle 50x2-1040 mm, hard - universal
KH1122SBK	Rear axle 50x2-1040 mm, soft- universal - black
KH1122MBK	Rear axle 50x2-1040 mm, medium- universal -black
KH1122MHBK	Rear axle 50x2-1040 mm, medium- hard - uni. -black
KH1122HBK	Rear axle 50x2-1040 mm, hard- universal - black



KH1121S	Rear axle 50x2-1020 mm, soft - universal
KH1121M	Rear axle 50x2-1020 mm, medium - universal
KH1121MH	Rear axle 50x2-1020 mm, medium - hard - universal
KH1121H	Rear axle 50x2-1020 mm, hard - universal
KH1121SBK	Rear axle 50x2-1020 mm, soft- universal - black
KH1121MBK	Rear axle 50x2-1020 mm, medium- universal -black
KH1121MHBK	Rear axle 50x2-1020 mm, medium- hard - uni. -black
KH1121HBK	Rear axle 50x2-1020 mm, hard- universal - black



KH1178	CIK sticker and marking for ordered axles
KH1181	Key 6x6x60 mm
KH1182	Key 8x5x60 mm
KH1192	Key 8x5x40 mm
KH1183	Key 8x60mm with pegged (3x7,5 mm, int.17 mm)
KH1184	Key 8x60mm with pegged (2x7,5 mm, int.34 mm)
KH1185	Key 8x60mm with pegged (3x7,5 mm, int.15 mm)
KH1186	Key 8x60mm with pegged (2x7,5 mm, int.30 mm)
KH1190	Packing to axle protection
	Axles we producing also according special request


KH1190

KH1178

11. ENGINE MOUNTS



KE1220



KE1220



KE1217
CODE



KE1218

DESCRIPTION

Mg engine mount inclined for ROTAX engines

KE1219	Mg engine mount 28x92- ROTAX - with brac. 102x80mm
KE1220	Mg engine mount 30x90, with brackets (pitch 102 x 80)
KE1221	Mg engine mount 30x92, with brackets (pitch 102 x 80)
KE1222	Mg engine mount 32x90, with brackets (pitch 102 x 80)
KE1223	Mg engine mount 32x92, with brackets (pitch 102 x 80)
KE1224	Mg engine mount UNI, with brackets (pitch 102 x 80)

Mg engine mount inclined for X30 engines

KE1220X30	Mg engine mount 30x90, with brackets (pitch 115 x 80)
KE1221X30	Mg engine mount 30x92, with brackets (pitch 115 x 80)
KE1222X30	Mg engine mount 32x90, with brackets (pitch 115 x 80)
KE1223X30	Mg engine mount 32x92, with brackets (pitch 115 x 80)
KE1224X30	Mg engine mount UNI, with brackets (pitch 115 x 80)

Mg engine mount inclined ROTAX and X30 - universal

KE1220UNI	Mg engine mount 30x90, w.b. (pitch 102x80 and 115x80)
KE1221UNI	Mg engine mount 30x92, w.b. (pitch 102x80 and 115x80)
KE1222UNI	Mg engine mount 32x90, w.b. (pitch 102x80 and 115x80)
KE1223UNI	Mg engine mount 32x92, w.b. (pitch 102x80 and 115x80)
KE1224UNI	Mg engine mount UNI, w.b. (pitch 102x80 and 115x80)

Mg engine mount inclined for ROTAX engines without brackets

KE1219N	Mg engine mount 28x92 without brackets (pitch 102 x 80)
KE1220N	Mg engine mount 30x90, without brackets (pitch 102 x 80)
KE1221N	Mg engine mount 30x92, without brackets (pitch 102 x 80)
KE1222N	Mg engine mount 32x90, without brackets (pitch 102 x 80)
KE1223N	Mg engine mount 32x92, without brackets (pitch 102 x 80)
KE1224N	Mg engine mount UNI, without brackets (pitch 102 x 80)

Mg engine mount inclined for X30 engines without brackets

KE1220X30N	Mg engine mount 30x90, without brackets (pitch 115 x 80)
KE1221X30N	Mg engine mount 30x92, without brackets (pitch 115 x 80)
KE1222X30N	Mg engine mount 32x90, without brackets (pitch 115 x 80)
KE1223X30N	Mg engine mount 32x92, without brackets (pitch 115 x 80)
KE1224X30N	Mg engine mount UNI, without brackets (pitch 115 x 80)

Mg engine mount inclined for ROTAX and X30 - universal without brackets

KE1220UNIN	Mg engine mount 30x90, (pitch 102x80 and 115x80)
KE1221UNIN	Mg engine mount 30x92, (pitch 102x80 and 115x80)
KE1222UNIN	Mg engine mount 32x90, (pitch 102x80 and 115x80)
KE1223UNIN	Mg engine mount 32x92, (pitch 102x80 and 115x80)
KE1224UNIN	Mg engine mount UNI, (pitch 102x80 and 115x80)

Engine plates

KE1217	Mg ROTAX engine plate (pitch 102 x 80)
KE1217X30	Mg X30 engine plate (pitch 115 x 80)
KE1217UNI	Mg UNI engine plate (pitch 102 x 80 and 115 x 80)
KE1218	Al engine plate (pitch 102 x 80)
KE1218X30	Al engine plate X30 (pitch 115 x 80)
KE1218UNI	Al engine plate UNI (pitch 102 x 80 and 115 x 80)



KE1230



KE1250B

KE1251

Mg engine mount - flat

KE1230	Mg engine mount 30x90, with brackets (pitch 115 x 80)
KE1231	Mg engine mount 30x92, with brackets (pitch 115 x 80)
KE1232	Mg engine mount 32x90, with brackets (pitch 115 x 80)
KE1233	Mg engine mount 32x92, with brackets (pitch 115 x 80)
KE1234	Mg engine mount UNI, with brackets (pitch 115 x 80)

Mg engine mount - flat without brackets

KE1230N	Mg engine mount 30x90, without brackets (pitch 115 x 80)
KE1231N	Mg engine mount 30x92, without brackets (pitch 115 x 80)
KE1232N	Mg engine mount 32x90, without brackets (pitch 115 x 80)
KE1233N	Mg engine mount 32x92, without brackets (pitch 115 x 80)
KE1234N	Mg engine mount UNI, without brackets (pitch 115 x 80)

Brackets

KE1250	Standart bracket
KE1251	Light bracket 28x90
KE1252	Light bracket 28x92
KE1253	Light bracket 30x90
KE1254	Light bracket 30x92
KE1255	Light bracket 32x90
KE1256	Light bracket 32x92
	Colored bracket + 0,60.-EUR/pcs

12. OTHERS



KD1280



KE1285



KS1501



KP1401



KE1290, KE1291

CODE	DESCRIPTION
KE1280BK	Chain stretcher with bolt M12 - black
KE1285BK	Chain stretcher for KZ - black
KE1290	Bolt M12 for chain stretcher l=60mm
KE1291	Bolt M12 for chain stretcher l=85mm
KS1501BK	Steering columns support with bearing Ø20/Ø20 - black with fixation
KP1405	Pedal backstop
KP1401BK	Al set of pedals (accelerator+brake pedal)
KP1402BK	Al accelerator pedal - black
KP1403BK	Al brake pedal - black
KP1411BK	Al set of pedals MINI (accelerator+brake pedal)
KP1412BK	Al accelerator pedal MINI - black
KP1413BK	Al brake pedal MINI - black
SM 8x22	Stud zink



KO1701, KO1705

KS1510-...,

I




KO1720



KS1550



KS1555



KO1770

CODE	DESCRIPTION
KO1701BK	Al pulleys for water pump 80 mm - black
KO1702BK	Al pulleys for water pump 90 mm - black
KO1705	Mg pulleys for water pump 90 mm
KO1707	Mg pulleys for water pump 80 mm
	Untill stocks are sold out
KS1510210BK	Al steering tie rods 210 mm - black
KS1510215BK	Al steering tie rods 215 mm - black
KS1510220BK	Al steering tie rods 220 mm - black
KS1510225BK	Al steering tie rods 225 mm - black
KS1510230BK	Al steering tie rods 230 mm - black
KS1510235BK	Al steering tie rods 235 mm - black
KS1510240BK	Al steering tie rods 240 mm - black
KS1510245BK	Al steering tie rods 245 mm - black
KS1510250BK	Al steering tie rods 250 mm - black
KS1510255BK	Al steering tie rods 255 mm - black
KS1510260BK	Al steering tie rods 260 mm - black
KS1510265BK	Al steering tie rods 265 mm - black
KS1510270BK	Al steering tie rods 270 mm - black
KS1510275BK	Al steering tie rods 275 mm - black
KS1510280BK	Al steering tie rods 280 mm - black
KS1510285BK	Al steering tie rods 285 mm - black
KS1510465BK	Al gear tie rods 465 mm - black
KS1510495BK	Al gear tie rods 495 mm - black
KS1510540BK	Al gear tie rods 540 mm - black
KS1520	Spherical joint left
KS1521	Spherical joint right
KO1720BK	Al scale for gasoline level /step 0,25mm/- black
KS1550BK	Al hub for steering wheels – inclined - black
KS1555	Mg hub for steering wheels – inclined
KO1770BK	Al jet support with magnet - black



KD1601



KO1760, KO1761



KD1450



KS1560BK



KSOTK



KO1741

CODE	DESCRIPTION
KD1601	Al clamps Ø28 mm
KD1602	Al clamps Ø30 mm
KD1603	Al clamps Ø32 mm
KD1450BK	Al feet support - black
KO1760BK	Al connection for water probe - black
KO1761BK	Al Connection for radiator pipe - 3 ways /T-type/ - black
KS1560BK	Al angled washer for steering wheels-universal for standard and OTK steering wheels
KSOTK000	Excenter OTK CENTRAL
KSOTK050	Excenter OTK 0,50° - 1
KSOTK100	Excenter OTK 1,00° - 2
KSOTK150	Excenter OTK 1,50° - 3
KSOTK200	Excenter OTK 2,00° - 4
KSOTK250	Excenter OTK 2,50° - 5
KSOTK000M	Excenter OTK 0,00 - 0 degree - complete - MINI
KSOTK050M	Excenter OTK 0,50 - 1 -complete- MINI
KSOTK100M	Excenter OTK 1,00 - 2 - complete- MINI
KSOTK150M	Excenter OTK 1,50 - 3 - complete-MINI
KSOTK200M	Excenter OTK 2,00 - 4 - complete- MINI
KSOTK250M	Excenter OTK 2,50 - 5 - complete- MINI
KSOTK01	Excenter OTK cover with magnets
KO1740BK	Al countersunk washer Ø 6 mm black
KO1741BK	Al countersunk washer Ø 8/Ø35 mm black
KO1746BK	Al countersunk washer Ø 8/Ø22 mm black
KH1177	Enduser for axle Ø50 mm
KH1176	Enduser for axle Ø40 mm
KH1175	Enduser for axle Ø30 mm



Laser marking technology-we can mark our products with your name our logo your company

13. NEW PRODUCTS



KS1580



KP1410BK



KP1407ABK



KP1407BBK



KP1703BK + KP1407OR



KSOTK02GD



KO1750BK

- KS1580BK Al steering wheel support-positional 7°-14°-21°- black
- Universal for standard and OTK steering wheels
- KP1410BK Al pedal extension - black
- KP1407ABK Al waterpump type o-ring
- KP1407BBK Al waterpump type for belt with teeth
- KP1407OR355 Toothed belt 355mm
- KP1407OR375 Toothed belt 375mm**
- KO1703BK Al pulleys for water pump for belt with teeths - black
- KO1750MG Clutch lever
- KSOTK02GD Al inclined steering wheel support for OTK - gold



- LASER0 Laser marking /logo,name, .../ 0 - 100 pieces
- LASER1 Laser marking /logo,name, .../ 100 - more pieces

All prices are in EUR

Minimum order quantity is 10 pcs/item

14. BRAKE SYSTEMS AND PRODUCTS FOR INDIVIDUAL ORDERS



Homologated brake systems for MINI, OK/OKJ and KZ - complete



SPECIAL HUBS



BEARING HOUSES



SPECIAL HUBS



BREAK DISCS





Al wheels - KD090..,KD091..,KD092..



Mg wheels model 2004 - KD104..,KD105..,KD106..,KD107..



Mg wheels model US - KD108..,KD106..,KD109..



Mg wheel model 2009

Mg wheel model 2

These wheels are for special order - Prices, MOQ and the delivery time is according agreement

By ordering the color of the product provides extra point past the product code. (for example: KR
Colors: gold-GD standard (usually in stock, except parts which are made only in black or Gray c
black -BK standard (usually in stock, except A 100)
red-RD custom-made
blue-BF custom-made

Some items are only in black color / Chain stretcher, exhaust support, steering column support, p
Sprockets C125 ERGAL are only in grey color