



PRODUCT LIST 2026

K-KART spol. s r.o.
Filákovská cesta č. 41
984 01 Lučenec
Slovak Republic
Tel.: 00421 47 433 00 83
Cell phone: 00421 905 959 842
web: www.kkart.sk
e-mail: kkart@kkart.sk

1. SPROCKET



KR0102

CODE	DESCRIPTION
	Sprocket for type 219 „classic“ - 7075-T6 ERGAL
KR0101	number of teeth: 62 – 69
KR0102	number of teeth: 70 - 72
KR0102	number of teeth: 73 - 74
KR0103	number of teeth: 75 - 77
KR0104	number of teeth: 78 - 81
KR0104	number of teeth: 82 - 83
KR0105	number of teeth: 84 - 86
KR0105	number of teeth: 87 - 89
KR0106	number of teeth: 90 - 93
KR0107	number of teeth: 94 - 97



KR0115

	Sprocket for type 219 „superlight“ - 7075-T6 ERGAL
KR0111	number of teeth: 62 – 69
KR0112	number of teeth: 70 – 72
KR0112	number of teeth: 73 – 74
KR0113	number of teeth: 75 – 77
KR0114	number of teeth: 78 – 81
KR0114	number of teeth: 82 – 83
KR0115	number of teeth: 84 – 86
KR0115	number of teeth: 87 – 89
KR0116	number of teeth: 90 – 93
KR0117	number of teeth: 94 – 97



KR0133

Sprocket for type 219 "inclined + half teeth"

KR0130	"High traction teeth" - 61,5-69 teeth
KR0131	"High traction teeth" - 69,5-72 teeth
KR0132	"High traction teeth" - 72,5-74 teeth
KR0133	"High traction teeth" - 74,5-77 teeth
KR0134	"High traction teeth" - 77,5-81 teeth
KR0135	"High traction teeth" - 81,5-83 teeth
KR0136	"High traction teeth" - 83,5-86 teeth
KR0137	"High traction teeth" - 86,5-89 teeth
KR0138	"High traction teeth" - 89,5-93 teeth
KR0139	"High traction teeth" - 93,5-96 teeth

**EXCLUSIVE EXTRALIGHTS, inclined thin teeth with small friction
and grooves for better lubrication.**



exklusive sprockets-special groove for better lubrication

KREX exclusive extralights sprockets

KREX	Sprocket - "EXCLUSIVE" - 53,5 th - 61 th
KREX	Sprocket - "EXCLUSIVE" - 61,5 th - 68,5 th
KREX	Sprocket - "EXCLUSIVE" - 69 th - 72 th
KREX	Sprocket - "EXCLUSIVE" - 72,5 th - 81,5 th
KREX	Sprocket - "EXCLUSIVE" - 82 th - 86,5 th
KREX	Sprocket - "EXCLUSIVE" - 87 th - 89 th

available whole size numbers

possible also in hard anodizing - extra hard +/-1,00/



By ordering the color of the product provides extra point past the product code.

(for example: KR0101GD-gold)

Colors: gold-GD standard

(usually in stock, except parts which are made only in black or Gray color)

black -BK standard (usually in stock, except A 100)

red-RD custom-made

grey-GR custom-made

magnesium gold-

MG custom-made

blue-BU - custom-made

Some items are only in black color

(Chain stretcher, exhaust support, steering column support, pedals....)

Sprockets C125 ERGAL are only in grey color

CHAINS



VR001PG

VR004MXG

VR003ORS, VR002RS

VR001PG	Chain 219 CZ PRO GOLD - 100-114
VR002RS	Chain 219 CZ RS *ULTRA-REINFORCED* - 100-112
VR003ORS	Chain 219 CZ O-RING ORS - 100-112
VR004MXG	Chain CZ 428 MXG 52-56

2. SPROCKET FOR C125



	KR027326AGR
CODE	DESCRIPTION
	Sprocket for C125 type 428 – 7075-T6 ERGAL, alloy, diam. 50 mm
	Sprockets are without gap and Grey color - (keyways 8 mm)
KR0271AGR	number of teeth: 20,21,22,23
KR0272AGR	number of teeth: 24,25
KR0273AGR	number of teeth: 26,27
KR0273AGR	number of teeth: 28
KR0274AGR	number of teeth: 29,30



	KR027224,5AGR
	Sprocket for C125 type 428 – 7075-T6 ERGAL, alloy, diam. 50 mm
	Sprockets half teeth and Grey color - (keyways 8 mm)
KR0271	Sprocket C125 - 50-8-20,5-22,5 teeth - 7075-T6 ERGAL grey
KR0272	Sprocket C125 - 50-8-23,5-24,5 teeth - 7075-T6 ERGAL grey
KR0273	Sprocket C125 - 50-8-25,5-26,5 teeth - 7075-T6 ERGAL grey
KR0274	Sprocket C125 - 50-8-27,5 teeth - 7075-T6 ERGAL grey
KR0275	Sprocket C125 - 50-8-28,5-29,5 teeth - 7075-T6 ERGAL grey
KR0276	Sprocket C125 - 50-8-30,5teeth - 7075-T6 ERGAL grey



	KR0253
	Sprocket for C125 type 428 – steel, diam. 30 mm
	(keyways 6 and 8 mm)
KR0201	number of teeth: 21,22,23
KR0202	number of teeth: 24,25
KR0203	number of teeth: 26,27,28
KR0204	number of teeth: 29,30
KR0205	number of teeth: 31,32
KR0206	number of teeth: 33
KR0207	number of teeth: 34, 35
KR0208	number of teeth: 36

	Sprocket for C125 type 428 – steel, diam. 40 mm
	(keyways 8 mm)
KR0221	number of teeth: 21,22,23
KR0222	number of teeth: 24,25
KR0223	number of teeth: 26,27,28
KR0224	number of teeth: 29,30
KR0224	number of teeth: 31,32
KR0224	number of teeth: 35

	Sprocket for C125 type 428 – steel, diam. 50 mm
	(keyways 8 mm)
KR0251	number of teeth: 21,22,23
KR0252	number of teeth 24,25
KR0253	number of teeth: 26,27,28
KR0254	number of teeth: 29,30

All Iron sprockets are in gold zinc color.

KR025436	Sprocket C125 - 50-8-36teeth - Iron
----------	-------------------------------------

3. ENGINE SPROCKETS AND SPROCKETS FOR HONDA GX



KR0281

CODE	DESCRIPTION
	Sprockets for HONDA GX
KR0301	diam. 22 mm, l= 50,5 mm, num. of teeth: 12
KR0302	diam. 22 mm, l= 50,5 mm, num. of teeth: 13
KR0303	diam. 22 mm, l= 50,5 mm, num. of teeth: 14
KR0304	diam. 22 mm, l= 50,5 mm, num. of teeth: 15
KR0305	diam. 22 mm, l= 50,5 mm, num. of teeth: 16



KR0343 sprocket

CODE	DESCRIPTION
	Sprockets for HONDA GX 390
KR0340	Sprocket Honda GX 390 12,7 - 11th (hardened)
KR0341	Sprocket Honda GX 390 12,7 - 12th (hardened)
KR0342	Sprocket Honda GX 390 12,7 - 13th (hardened)
KR0343	Sprocket Honda GX 390 12,7 - 14th (hardened)
KR0344	Sprocket Honda GX 390 12,7 - 15th (hardened)



KR0325

KR0319	Sprocket Rental IRON - 43 teeth - splitted
KR0320	Sprocket Rental IRON - 44 teeth - splitted
KR0321	Sprocket Rental IRON - 45 teeth - splitted
KR0322	Sprocket Rental IRON - 46 teeth - splitted
KR0323	Sprocket Rental IRON - 47 teeth - splitted
KR0324	Sprocket Rental IRON - 48 teeth - splitted
KR0325	Sprocket Rental IRON - 49 teeth - splitted




KR033042

KR033039	Al sprocket Rental - 39 teeth - splitted (7075-T6 ERGAL)
KR033040	Al sprocket Rental - 40 teeth - splitted (7075-T6 ERGAL)
KR033041	Al sprocket Rental - 41 teeth - splitted (7075-T6 ERGAL)
KR033042	Al sprocket Rental - 42 teeth - splitted (7075-T6 ERGAL)
KR033043	Al sprocket Rental - 43 teeth - splitted (7075-T6 ERGAL)
KR033044	Al sprocket Rental - 44 teeth - splitted (7075-T6 ERGAL)
KR033045	Al sprocket Rental - 45 teeth - splitted (7075-T6 ERGAL)


We producing also hardened version as special order

4. FRONT AND REAR HUBS FROM ALUMINIUM



KN0401, KN0402, KN0403

CODE	DESCRIPTION
	Al front hub Ø17 - 40/58 mm with bearings
KN0401	l = 61 mm, 2 x bearings 6003 ZZ
KN0402	l = 76 mm, 2 x bearings 6003 ZZ
KN0403	l = 96 mm, 2 x bearings 6003 ZZ
	Al front hub Ø17 - 55/67 mm with bearings
KN0411	l = 76 mm, 2 x bearings 6003 ZZ (CRG)
KN0412	l = 96 mm, 2 x bearings 6003 ZZ (CRG)



KN0462, KN0463

	Al front hub for Ø25 - 40/58 mm with bearings
KN 0461	l=61 mm, 2 x bearings 61905 ZZ
KN 0462	l=76 mm, 2 x bearings 61905 ZZ
KN 0463	l=96 mm, 2 x bearings 61905 ZZ
	Al front hub for Ø25 - 55/67 mm with bearings
KN 0471	l=76 mm, 2 x bearings 61905 ZZ (CRG, Maranello)
KN 0472	l=82 mm, 2 x bearings 61905 ZZ (CRG, Maranello)
KN 0473	l=96 mm, 2 x bearings 61905 ZZ (CRG, Maranello)


	Al rear hub diam. 25 mm
KN0421	25-6-38 mm
KN0422	25-6-67 mm
KN0423	25-6-98 mm



KN0429

	Al rear hub diam. 30 mm
KN0430	30-6+8-31 mm
KN0429	30-6+8-38 mm
KN0431	30-6+8-67 mm
KN0433	30-6+8-76 mm
KN0435	30-6+8-98 mm
KN0437	30-6+8-120 mm

	Al rear hub diam. 40 mm
KN0441	40-8-66 mm
KN0442	40-8-76 mm
KN0443	40-8-98 mm
KN0444	40-8-120 mm



KN0453

	Al rear hub diam. 50 mm
KN0451	50-8-78 mm
KN0452	50-8-88 mm
KN0453	50-8-98 mm
KN0454	50-8-120 mm

Al hubs type OTK



KNALOT02MG

KNALOT04MG

KNALOT05MG

KNALOT06MG

KNALOT01MG	Al front hub Ø17, diam.40/58mm, l=53/48/mm - OTK - magnesium gold
KNALOT02MG	Al front hub Ø17, l=60/55/mm - OTK - magnesium gold
KNALOT03MG	Al front hub Ø17, l=75/70/mm - OTK - magnesium gold
KNALOT04MG	Al front hub 30-8-37/33/mm - OTK - magnesium gold
KNALOT05MG	Al front hub 30-8-84/79/mm - OTK - magnesium gold
KNALOT06MG	Al front hub 40-8-92/87/mm - OTK - magnesium gold

5. FRONT AND REAR HUBS FROM MAGNESIUM



CODE	DESCRIPTION
	Mg front hub Ø17 - 40/58 mm with bearings
KN0501	l = 61 mm, 2 x bearings 6003 ZZ
KN0502	l = 76 mm, 2 x bearings 6003 ZZ
KN0503	l = 96 mm, 2 x bearings 6003 ZZ
	Mg front hub Ø17 - 55/67 mm with bearings
KN0504	l = 76 mm, 2 x bearings 6003 ZZ (CRG, Maranello)
KN0505	l = 96 mm, 2 x bearings 6003 ZZ (CRG, Maranello)

KN05061



	Mg front hub Ø 40 55/67 mm (CRG, Maranello)
KN05061	Mg front hub 40-8 55/67,l=76mm



KN0507,KN0509

KN0510,KN0511

	Mg front hub Ø25 - 40/58 mm with bearings
KN0507	l=61 mm, 2 x bearings 61905 ZZ
KN0508	l=76 mm, 2 x bearings 61905 ZZ
KN0509	l=96 mm, 2 x bearings 61905 ZZ
	Mg front hub Ø25 - 55/67 mm with bearings
KN0510	l=76 mm, 2 x bearings 61905 ZZ (CRG, Maranello)
KN0511	l=82 mm, 2 x bearings 61905 ZZ (CRG, Maranello)
KN0512	l=96 mm, 2 x bearings 61905 ZZ (CRG, Maranello)

600322	Bearing 600322
6190522	Bearing 6190522
SM8x22	Stud for hubs M8x22

KN0514



KN0515



	Mg rear hub diam. 30 mm
KN0514	30-6+8-31 mm
KN0515	30-6+8-40 mm
KN0516	30-6+8-55 mm - until stock are sold out
KN0517	30-6+8-65 mm - until stock are sold out
KN0518	30-6+8-75 mm - until stock are sold out

KN0520



KN0522



KN0520

KN0521

KN0522

Mg rear hub diam. 40 mm

40-8-76 mm

40-8-98 mm

40-8-120 mm

KN0527



KN0528



KN0525

KN0526

KN0527

KN0524

KN0528

Mg rear hub diam. 50 mm-model 2009

50-8-78 mm

50-8-88 mm

50-8-98 mm

50-8-108 mm

50-8-120 mm

KN0531



KN0533



KN0529

KN0530

KN0531

KN0532

KN0533

Mg rear hub diam. 50 mm-model US

50-8-78 mm

50-8-88 mm

50-8-98 mm

50-8-120 mm

50-8-155 mm

KNKR05



KNKR02



KNKR04



KNKR05

KNKR01

KNKR02

KNKR03

KNKR04

Mg hub type KR (KART REPUBLIC)

Front hub Ø25-73/69/mm

Front hub Ø25-94/89/mm

Rear hub Ø40-75/72/mm

Rear hub Ø40-95/90/mm

Rear hub Ø50-98/95/mm

Mg hub type OTK



Mg hub OTK



KNMGOT01	Mg Front hub Ø17, diam.40/58mm, l=53/48mm-OTK
KNMGOT02	Mg Front hub Ø17, diam.40/58mm, l=75/mm-OTK
KNMGOT03	Mg Front hub Ø17, diam.40/58mm, l=95/mm-OTK
KNMGOT04	Mg Front hub Ø25mm diam.40/58mm, l=85/80/mm-OTK
KNMGOT05	Mg Front hub Ø25mm diam.40/58mm, l=95/90/mm-OTK
KNMGOT06	Mg Front hub Ø25mm diam.40/58mm, l=110/105/mm-OTK
KNMGOT07	Mg Front hub Ø25mm diam.40/58mm, l=95/90/mm KZ-OTK
KNMGOT08	Mg Rear hub 50-8-77/72/ mm-OTK
KNMGOT09	Mg Rear hub 50-8-92/87/ mm-OTK
KNMGOT010	Mg Rear hub 50-8-115/110/ mm-OTK
KNMGOT11	Mg Rear hub 50-8-148/143/ mm-OTK
KN0549	Mg hub 50-8-97/92/mm - KZR - SODI type
KN0550	Mg hub 50-8-107/102/ mm - KZR - SODI type
KN0551	Mg hub 50-8-120/115/ mm - KZR - SODI type

6. SPROCKET AND BRAKE DISK HOLDERS FROM ALUMINIUM



KU0606

CODE

DESCRIPTION

Al brake discs holder

(diameters for fixation of disk brake: 100/114 mm)

KU0601

25-6 mm

KU0603

30-6+8 mm

KU0605

40-8 mm

KU0606

50-8 mm



KU0615

Al sprocket holders

KU0611

25-6 mm

KU0613

30-6+8 mm

KU0615

40-8 mm

KU0616

50-8 mm



KU0618


Al sprocket holder with double fixation

KU0617

40-8 mm

KU0618

50-8 mm



KU0635

KU0636 - KU0640

CODE DESCRIPTION

Al floating sprocket holder
(for „classic“ sprockets)

KU0631 25-6 mm
KU0632 30-6+8 mm
KU0634 40-8 mm
KU0635 50-8 mm

Accessories for floating sprocket holder

KU06325 Internal part Ø25
KU06330 Internal part Ø30
KU06340 Internal part Ø40
KU06350 Internal part Ø50
KU0637 External part
KU0638 Special washer
KU0639 Stud
SEG14BL Insurance

AL floating sprocket holder - KKART - EXCLUSIVE



KUEX01

KUEX01 30GR 30-6+8mm grey
KUEX01 50GR 50-8mm grey

7. SPROCKET AND DISK BRAKE HOLDERS FROM MAGNESIUM



KU0701

CODE	DESCRIPTION
	Mg disk brake holder (diameters for fixation of disk brake: 100/114 mm)
KU0701	40-8 mm
KU0702	50-8 mm



KU0704	
	Mg sprocket holder
KU0710	30-6+8 mm
KU0703	40-8 mm
KU0704	50-8 mm



KU0708	
	Mg sprocket holder double fixation
KU0707	30-6+8 mm
KU0709	40-8 mm
KU0708	50-8 mm

8. BRAKE DISCS

KB0809



CODE	DESCRIPTION
	Ventilated rear disk brake
KB0808	100-200-12 mm, with groove
KB0809	100-204-12 mm, with groove
KB0810	100-208-12 mm, with groove
KB0815	100-210-12 mm, with groove

KB0811



KB0811	100-200-12 mm, drilled
KB0812	100-204-12 mm, drilled
KB0813	100-208-12 mm, drilled
KB0814	100-210-12 mm, drilled

We produce also other type of brake discs according inquiry

9. WHEELS

CODE **Wheels "MINI"**
DESCRIPTION
Mg set of wheels MINI /2 x Front -115mm and 2 x rear -
143mm/

KD1243



Model MINI

KD1012 **Wheels Model "2009"**
KD1014 **Mg front wheel 130mm C125-"09", diam. 40/58mm**
prepared for locking screws
with locking screws and valve

KD1022 **Mg front wheel 130mm C125-"09", diam. 55/67mm type CRG**
KD1024 prepared for locking screws
with locking screws and valve

KD1232 **Mg rear wheel 180mm C125-"09"**
KD1234 prepared for locking screws
with locking screws and valve

KD1032 **Mg rear wheel 210mm C125-"09"**
KD1034 prepared for locking screws
with locking screws and valve



Model 2009

Mg wheels type KR /fitted to Kart republic/

KD1264 Mg front wheel 130 mm diam., model KR - with 3 x locking
screws + valve

KD1294 Mg rear wheel 210 mm - model KR - with 3 x locking screws +
valve



KD1264

KD1294



Wheels model "MXC"



KD1162
CODE

DESCRIPTION

KD1192

KD1162
KD1164

Mg front wheel 130 mm model MXC diam. 40-58
prepared for locking screws
with locking screws, with valve

KD1172
KD1174

Mg rear wheel 180 mm model MXC
prepared for locking screws
with locking screws, with valve

KD1192
KD1194

Mg rear wheel 210 mm -model MXC
prepared for locking screws
with locking screws, with valve



KD0986

Accessories for wheels

KD0983
KD0984
KD0985
KD0986
KD0987

O ring only
Bearing 6003 ZZ
Valve short
Al locking screw + rubber O ring - EVO
O ring only - EVO

We produce also another types regarding inquiry



Model 04



Model 12



Model US




Al wheels



10. REAR AXLES AND ACCESSORIES



KH1101




KH1121




KH1122BK

CODE	DESCRIPTION
KH1101S	Rear Axle 30x6-950 mm, soft
KH1101M	Rear Axle 30x5-950 mm, medium
KH1101H	Rear Axle 30x5-950 mm, hard
KH1112S	Rear axle 40 - DD2 - 1040 mm, soft
KH1112M	Rear axle 40 - DD2 - 1040 mm, medium
KH1122S	Rear axle 50x2-1040 mm, soft - universal
KH1122M	Rear axle 50x2-1040 mm, medium - universal
KH1122MH	Rear axle 50x2-1040 mm, medium - hard - universal
KH1122H	Rear axle 50x2-1040 mm, hard - universal
KH1122SBK	Rear axle 50x2-1040 mm, soft- universal - black
KH1122MBK	Rear axle 50x2-1040 mm, medium- universal -black
KH1122MHBK	Rear axle 50x2-1040 mm, medium- hard - uni. -black
KH1122HBK	Rear axle 50x2-1040 mm, hard- universal - black




KH1121S	Rear axle 50x2-1020 mm, soft - universal
KH1121M	Rear axle 50x2-1020 mm, medium - universal
KH1121MH	Rear axle 50x2-1020 mm, medium - hard - universal
KH1121H	Rear axle 50x2-1020 mm, hard - universal
KH1121SBK	Rear axle 50x2-1020 mm, soft- universal - black
KH1121MBK	Rear axle 50x2-1020 mm, medium- universal -black
KH1121MHBK	Rear axle 50x2-1020 mm, medium- hard - uni. -black
KH1121HBK	Rear axle 50x2-1020 mm, hard- universal - black



CODE	DESCRIPTION
KHT005	Axle 50-1030mm - "OTK"-soft
KHT006	Axle 50-1030mm - "OTK"-medium
KHT007	Axle 50-1030mm - "OTK"-medium/hard
KHT008	Axle 50-1030mm - "OTK"-hard
KR002BK	Rear Axle 50x2-1030 mm, soft KR-OK - black
KR003BK	Rear Axle 50x2-1030 mm, medium KR-OK - black
KR004BK	Rear Axle 50x2-1030 mm, hard KR-OK - black
KR006BK	Rear Axle 50x2-1030 mm, medium/hard KR-OK - black

CODE	DESCRIPTION
KH1178	CIK sticker and marking for ordered axles
KH1181	Key 6x6x60 mm
KH1182	Key 8x5x60 mm
KH1192	Key 8x5x40 mm
KH1183	Key 8x60mm with pegged (3x7,5 mm, int.17 mm)
KH1184	Key 8x60mm with pegged (2x7,5 mm, int.34 mm)
KH1185	Key 8x60mm with pegged (3x7,5 mm, int.15 mm)
KH1186	Key 8x60mm with pegged (2x7,5 mm, int.30 mm)
KH1194	Key W- 6+8-60mm
KH1190	Packing to axle protection




Axles we producing also according special request




KH1190




KH1194




KH1184





KH1183



KH1185



KH1186



CODE	DESCRIPTION
------	-------------

KH1175	Enduser for axle Ø30mm
KH1176	Enduser for axle Ø40mm
KH1177	Enduser for axle Ø50mm
KH1172BK	Axle cleaning tool for Ø30, Ø40, Ø50 mm axles - black



KH1177




KH1172BK

11. ENGINE MOUNTS



KE1220



KE1220

CODE	DESCRIPTION
	Mg engine mount inclined for ROTAX engines
KE1219	Mg engine mount 28x92- ROTAX - with brac. 102x80mm
KE1220	Mg engine mount 30x90, with brackets (pitch 102 x 80)
KE1221	Mg engine mount 30x92, with brackets (pitch 102 x 80)
KE1222	Mg engine mount 32x90, with brackets (pitch 102 x 80)
KE1223	Mg engine mount 32x92, with brackets (pitch 102 x 80)
KE1224	Mg engine mount UNI, with brackets (pitch 102 x 80)
	Mg engine mount inclined for X30 engines
KE1220X30	Mg engine mount 30x90, with brackets (pitch 115 x 80)
KE1221X30	Mg engine mount 30x92, with brackets (pitch 115 x 80)
KE1222X30	Mg engine mount 32x90, with brackets (pitch 115 x 80)
KE1223X30	Mg engine mount 32x92, with brackets (pitch 115 x 80)
KE1224X30	Mg engine mount UNI, with brackets (pitch 115 x 80)
	Mg engine mount inclined ROTAX and X30 - universal
KE1220UNI	Mg engine mount 30x90, w.b. (pitch 102x80 and 115x80)
KE1221UNI	Mg engine mount 30x92, w.b. (pitch 102x80 and 115x80)
KE1222UNI	Mg engine mount 32x90, w.b. (pitch 102x80 and 115x80)
KE1223UNI	Mg engine mount 32x92, w.b. (pitch 102x80 and 115x80)
KE1224UNI	Mg engine mount UNI, w.b. (pitch 102x80 and 115x80)
	Mg engine mount inclined for ROTAX engines without brackets
KE1219N	Mg engine mount 28x92 without brackets (pitch 102 x 80)
KE1220N	Mg engine mount 30x90, without brackets (pitch 102 x 80)
KE1221N	Mg engine mount 30x92, without brackets (pitch 102 x 80)
KE1222N	Mg engine mount 32x90, without brackets (pitch 102 x 80)
KE1223N	Mg engine mount 32x92, without brackets (pitch 102 x 80)
KE1224N	Mg engine mount UNI, without brackets (pitch 102 x 80)
	Mg engine mount inclined for X30 engines without brackets
KE1220X30N	Mg engine mount 30x90, without brackets (pitch 115 x 80)
KE1221X30N	Mg engine mount 30x92, without brackets (pitch 115 x 80)
KE1222X30N	Mg engine mount 32x90, without brackets (pitch 115 x 80)
KE1223X30N	Mg engine mount 32x92, without brackets (pitch 115 x 80)
KE1224X30N	Mg engine mount UNI, without brackets (pitch 115 x 80)
	Mg engine mount inclined for ROTAX and X30 - universal without brackets
KE1220UNIN	Mg engine mount 30x90, (pitch 102x80 and 115x80)
KE1221UNIN	Mg engine mount 30x92, (pitch 102x80 and 115x80)
KE1222UNIN	Mg engine mount 32x90, (pitch 102x80 and 115x80)
KE1223UNIN	Mg engine mount 32x92, (pitch 102x80 and 115x80)
KE1224UNIN	Mg engine mount UNI, (pitch 102x80 and 115x80)




KE1217



KE1218

Engine plates

KE1217	Mg ROTAX engine plate (pitch 102 x 80)
KE1217X30	Mg X30 engine plate (pitch 115 x 80)
KE1217UNI	Mg UNI engine plate (pitch 102 x 80 and 115 x 80)
KE1218	Al engine plate (pitch 102 x 80)
KE1218X30	Al engine plate X30 (pitch 115 x 80)
KE1218UNI	Al engine plate UNI (pitch 102 x 80 and 115 x 80)



KE1230

Mg engine mount - flat

KE1230	Mg engine mount 30x90, with brackets (pitch 115 x 80)
KE1231	Mg engine mount 30x92, with brackets (pitch 115 x 80)
KE1232	Mg engine mount 32x90, with brackets (pitch 115 x 80)
KE1233	Mg engine mount 32x92, with brackets (pitch 115 x 80)
KE1234	Mg engine mount UNI, with brackets (pitch 115 x 80)

Mg engine mount - flat without brackets

KE1230N	Mg engine mount 30x90, without brackets (pitch 115 x 80)
KE1231N	Mg engine mount 30x92, without brackets (pitch 115 x 80)
KE1232N	Mg engine mount 32x90, without brackets (pitch 115 x 80)
KE1233N	Mg engine mount 32x92, without brackets (pitch 115 x 80)
KE1234N	Mg engine mount UNI, without brackets (pitch 115 x 80)



KE1250BK



KE1251

Brackets

KE1250	Standart bracket
KE1251	Light bracket 28x90
KE1252	Light bracket 28x92
KE1253	Light bracket 30x90
KE1254	Light bracket 30x92
KE1255	Light bracket 32x90
KE1256	Light bracket 32x92

**Colored bracket + 0,60.-EUR/pcs available colors:
black, blue, red, grey, gold, magnesium gold**

12. TIE RODS



CODE	DESCRIPTION
KS1510210BK	Al steering tie rods 210 mm - black
KS1510215BK	Al steering tie rods 215 mm - black
KS1510220BK	Al steering tie rods 220 mm - black
KS1510225BK	Al steering tie rods 225 mm - black
KS1510230BK	Al steering tie rods 230 mm - black
KS1510235BK	Al steering tie rods 235 mm - black
KS1510240BK	Al steering tie rods 240 mm - black
KS1510245BK	Al steering tie rods 245 mm - black
KS1510250BK	Al steering tie rods 250 mm - black
KS1510255BK	Al steering tie rods 255 mm - black
KS1510260BK	Al steering tie rods 260 mm - black
KS1510265BK	Al steering tie rods 265 mm - black
KS1510270BK	Al steering tie rods 270 mm - black
KS1510275BK	Al steering tie rods 275 mm - black
KS1510280BK	Al steering tie rods 280 mm - black
KS1510285BK	Al steering tie rods 285 mm - black
KS1510465BK	Al gear tie rods 465 mm - black
KS1510495BK	Al gear tie rods 495 mm - black
KS1510540BK	Al gear tie rods 540 mm - black



KSOTK220GD

KSOTK220GD	Al steering tie rod 220mm-gold type OTK
KSOTK225GD	Al steering tie rod 225mm-gold type OTK
KSOTK230GD	Al steering tie rod 230mm-gold type OTK
KSOTK235GD	Al steering tie rod 235mm-gold type OTK
KSOTK265GD	Al steering tie rod 265mm-gold type OTK
KSOTK270GD	Al steering tie rod 270mm-gold type OTK



KS1520(left)	KS1524(left)
KS1521(right)	KS1525(right)

KS1520	Spherical joint left - ISB
KS1521	Spherical joint right - ISB
KS1524	Spherical Joint left - MGK
KS1525	Spherical Joint right - MGK

13. CHAIN STRETCHERS



KD1281



KE1285



KE1290, KE1292

CODE	DESCRIPTION
KE1280BK	Chain stretcher with bolt M12 - black
KE1285BK	Chain stretcher for KZ - black
KE1290	Bolt M12 for chain stretcher l=60mm
KE1291	Bolt M12 for chain stretcher l=85mm

14. PEDALS



KP1401

CODE	DESCRIPTION
KP1401BK	Al set of pedals (accelerator+brake pedal)
KP1402BK	Al accelerator pedal - black
KP1403BK	Al brake pedal - black



KP1411BK

KP1411BK	Al set of pedals MINI (accelerator+brake pedal)
KP1412BK	Al accelerator pedal MINI - black
KP1413BK	Al brake pedal MINI - black
KP1405	Pedal backstop



KP1405

KP1410BK	Al pedal extension - black
----------	-----------------------------------



KD1450BK	KP1410BK Al feet support - black
----------	--



KD1450

15. STEERING



KS1550BK



KS1555

KS1550BK
KS1555

Al hub for steering wheels – inclined - **black**
Mg hub for steering wheels – inclined



KS1580BK



KSOTK02GD

KS1580BK Al steering wheel support-positional 7°-14°-21° - black
Universal for standard and OTK steering wheels
KSOTK02GD Al inclined steering wheel support for OTK - gold

CODE	DESCRIPTION
------	-------------

KS1560BK	Al angled washer for steering wheels-universal for standard and OTK steering wheels
----------	---

KS1501BK	Steering columns support with bearing Ø20/Ø20 - black with fixation
----------	---



KS1560BK



KS1501

CODE	DESCRIPTION
------	-------------

KSOTK000	Excenter OTK CENTRAL
KSOTK050	Excenter OTK 0,50° - 1
KSOTK100	Excenter OTK 1,00° - 2
KSOTK150	Excenter OTK 1,50° - 3
KSOTK200	Excenter OTK 2,00° - 4
KSOTK250	Excenter OTK 2,50° - 5
KSOTK000M	Excenter OTK 0,00 - 0 degree - complete - MINI
KSOTK050M	Excenter OTK 0,50 - 1 -complete- MINI
KSOTK100M	Excenter OTK 1,00 - 2 - complete- MINI
KSOTK150M	Excenter OTK 1,50 - 3 - complete-MINI
KSOTK200M	Excenter OTK 2,00 - 4 - complete- MINI
KSOTK250M	Excenter OTK 2,50 - 5 - complete- MINI
KSOTK01	Excenter OTK cover with magnets



KSOTK

KZ0019L



CODE

DESCRIPTION

KZ0019L

Stubaxle 17mm - MINI - 10,5° - left

KZ0019R

Stubaxle 17mm - MINI - 10,5° - right



KZ0021L

KZ0021L

Stubaxle OK 25mm - 10,5° - left

KZ0021R

Stubaxle OK 25mm - 10,5° - right

KZ0003L

Stubaxle OK 25mm - 11degree - left

KZ0003R

Stubaxle OK 25mm - 11degree - right



KZ0020

KZ0020L

Stubaxle KZ 25/17mm - 10,5°-2015 - complete -Left

KZ0020R

Stubaxle KZ 25/17mm - 10,5°-2015 - complete - Right

KZ0016L

Stubaxle KZ diam. 25mm - 11°-2015 - complete - Left

KZ0016R

Stubaxle KZ diam 25mm - 11°-2015 - complete - right

KZ0018L

Stubaxle KZ 25/17mm - 12°-2015 - complete -Left

KZ0018R

Stubaxle KZ 25/17mm - 12°-2015 - complete -Right



FAC002

CODE

DESCRIPTION

FAC002

Conical spacer Ø10x30x3mm /stub axle height/

FAC003

Conical spacer Ø10x30x6mm /stub axle height/

KZ0037

Conical spacer Ø8x30x3mm /stub axle height/

KZ0038

Conical spacer Ø8x30x6mm /stub axle height/



KZ002

KZ001



KZ0004

Stubaxle ring Ø17-5 mm

KZ0005

Stubaxle ring Ø17-10 mm

KZ0002

Stubaxle ring Ø25-5mm

KZ0001

Stubaxle ring Ø25-10mm

16. WATERPUMP AND ACCESORIES



CODE	DESCRIPTION
KP1407ABK	Al waterpump type o-ring
KP1407BBK	Al waterpump type for belt with teeth



KP1407OR355	Toothed belt 355mm
KP1407OR375	Toothed belt 375mm
KO1703BK	Al pulleys for water pump for belt with teeths - black



KO1701BK	Al pulleys for water pump 80 mm - black
KO1702BK	Al pulleys for water pump 90 mm - black
KO1705	Mg pulleys for water pump 90 mm
KO1707	Mg pulleys for water pump 80 mm
	Untill stocks are sold out



KO1760BK	Al connection for water probe - black
KO1761BK	Al Connection for radiator pipe - 3 ways /T-type/ - black

Laser marking technology
we can markt our products with your name or logo your company

17. OTHERS PRODUCTS



bumper saver short



bumper saver long

KD1411-28	Al rear bumper saver 28mm - long - complete set 2 pcs
KD1411-30	Al rear bumper saver 30mm - long - complete set 2 pcs
KD1411-32	Al rear bumper saver 32mm - long - complete set 2 pcs
KD1412-28	Al rear bumper saver 28mm - short - complete set 2 pcs
KD1412-30	Al rear bumper saver 30mm - short - complete set 2 pcs
KD1412-32	Al rear bumper saver 32mm - short - complete set 2 pcs




KD1601

KD1601	Al clamps Ø28 mm
KD1602	Al clamps Ø30 mm
KD1603	Al clamps Ø32 mm



KO1721



KO1770BK

KO1721BK	Al scale for gasoline level /step 0,25mm/- black
KO1770BK	Al jet support with magnet - black



TORSION BAR CLAMP



KO1750

KO1750MG	Clutch lever
KD1632	Torsion bar clamp Ø30mm



KO1740BK	Al countersunk washer Ø 6 mm black
KO1741BK	Al countersunk washer Ø 8/Ø30 mm black
KO1746BK	Al countersunk washer Ø 8/Ø22 mm black



KE1296

Al chain holder-OTK type



Axle bearings

AXLE BEARINGS

SB206ZZC4 Bearing SB 206ZZ C4 bearing Ø30/62
 SB208ZZC4 Bearing 208 ZZ C4 - Ø40x80mm
 SB208/210ZZC4 Bearing 208/210 ZZ C4 - Ø50x80mm

LASER MARKING



LASER0

Laser marking /logo,name, .../ 0 - 100 pieces

LASER1

Laser marking /logo,name, .../ 100 - more pieces

All prices are in EUR

Minimum order quantity is 10 pcs/item

**18. BRAKE SYSTEMS AND PRODUCTS
FOR INDIVIDUAL ORDERS
for MINI, OK/OKJ and KZ/DD2 - complete**



HOMOLOGATED BRAKE SYSTEM



SPECIAL HUBS



BEARING HOUSES



BRAKE DISCS INDIVIDUAL



Please send orders to kkart@kkart.sk